## Passage of information from parent to offspring Question Paper 5

Level	International A Level
Subject	Biology
Exam Board	CIE
Topic	Inherited change
Sub Topic	Passage of information from parent to offspring
Booklet	Theory
Paper Type	Question Paper 5

Time Allowed: 48 minutes

Score : /40

Percentage: /100

## **Grade Boundaries:**

A*	А	В	С	D	E	U
>85%	'77.5%	70%	62.5%	57.5%	45%	<45%

1 Modern varieties of wheat have developed from numerous hybridisation events between different species of wild grasses. Fig. 4.1 shows some of the possible steps that are believed to have been involved in the development of bread wheat, *Triticum aestivum*.

The letters **A**, **B** and **C** represent three different sets of seven chromosomes.




Fig. 4.1

(a) Complete Fig. 4.1 by writing letters to represent the sets of chromosomes in bread wheat.

Write your answer on Fig. 4.1. [1]

(b)	Explain why hybridisation between emmer wheat and goat grass 2 would have produced a sterile hybrid, if doubling of chromosome number had <b>not</b> occurred.
	[3]
(c)	With reference to Fig. 4.1, suggest why <i>Triticum urartu</i> and <i>Triticum turgidum</i> are classified as different species.
	[2]
(d)	Triticum turgidum emerged as a new species without being geographically isolated from Triticum urartu.
	Outline how geographical isolation may result in speciation.
	[3]
	[Total: 9]

**2** Fig. 2.1 shows the CFTR (cystic fibrosis transmembrane conductance regulator) protein in a plasma (cell surface) membrane.




Fig. 2.1

(a)	(	Describe the normal function of the CFTR protein.				
			[2]			
	(ii)	On Fig. 2.1, use the letter <b>E</b> to indicate the external face of the membrane. State how you identified this face.				
			[1]			
(b)	Cys	tic fibrosis is caused by a recessive allele of the CFTR gene.				
	(i)	Explain the meaning of the term recessive allele.				
			[2]			

	(ii)	Explain ho	ow cystic fibr	osis affects	the function	of the lung	S.	
								[3]
(c)	for g	gene therape of the <i>CF</i>	oy. Trials we	re undertake	en in the 19	90s, attemp	ting to deliv	ood candidate er the normal liposomes as
	Exp	lain how vii	ruses delive	r the allele i	nto cells.			
								[2]

(d)		some people with cystic fibrosis, the allele has a single-base mutation which produces 'nonsense' (stop) codon within the gene.						
	(i)	Explain how this mutation would prevent normal CFTR protein being produced.						
			[2]					
	(ii)	A new type of drug, PTC124, enables translation to continue through the nonser codon. Trials in mice homozygous for a <i>CFTR</i> allele containing the nonsense codhave found that animals treated with PTC124 produce normal CFTR protein in the cells. The drug is taken orally, and is readily taken up into cells all over the body.	don neir					
		Using your knowledge of the progress towards successful gene therapy for cysfibrosis, suggest why PTC124 could be a simpler and more reliable treatment this disease.						
			[3]					
		[Total:	15]					

3 In mice there are several alleles of the gene that controls the intensity of pigmentation of the fur.

The alleles are listed below in order of dominance with **C** as the most dominant.

C = full colour
 C<sup>ch</sup> = chinchilla
 C<sup>h</sup> = himalayan
 C<sup>p</sup> = platinum
 C<sup>a</sup> = albino

The gene for eye colour has two alleles. The allele for black eyes, **B**, is dominant, while the allele for red eyes, **b**, is recessive.

A mouse with full colour and black eyes was crossed with a himalayan mouse with black eyes. One of the offspring was albino with red eyes.

Using the symbols above, draw a genetic diagram to show the genotypes and phenotypes of the offspring of this cross.



	As Black hair tips
	A <sup>y</sup> Red hair tips
	A <sup>t</sup> Copper hair tips
hair tips red hair  (a) State  (i)	between two dogs with copper hair tips will always produce offspring with copps. A cross between two dogs with black hair tips may produce some offspring with tips and some with copper hair tips.  As At × AyAy  offspring phenotypes  ratio  As At × At Ay  offspring phenotypes  ratio  AyAt × AyAt  offspring phenotypes
	ratio

The colour of the tips of the hair in Australian Shepherd dogs is controlled by a gene at the  $\bf A$  locus. There are three alleles at this locus which are:

4

(b)			hes to know wr this characte		g with red h	air tips is eith	ner homozygous
	(i) Sta	ite the cros	s needed to de	etermine the	dog's genot	ype.	
							[1]
	(II) EX	wny tr	ne offspring of	tnis cross w	iii reveal the	genotype of the	ne dog.
							[3]
							[Total: 10]