

Coordination and Response

Mark Scheme 6

Level	IGCSE
Subject	Biology
Exam Board	CIE
Topic	Coordination and Response
Paper Type	(Extended) Theory Paper
Booklet	Mark Scheme 6

Time Allowed: 65 minutes

Score: /54

Percentage: /100

- 1 (a) (A) ciliary (muscle/body);
 (B) pupil + becomes smaller/constricts; (R) narrower
 (R) controls amount of light entering
 (A) less light enters eye (A) makes iris larger/width increases [2]

- (b)(i) (voluntary)
 can be controlled (by will)/involves a decision or thought/not automatic;
 (A) control by brain (R) conscious (R) knowingly

(antagonistic)

ref. to opposing/working against each other/one contracts while the other relaxes AW;

[2]

- (ii) CHECK FOR ARROWS OR ANNOTATIONS ON FIG. 2.1
 ref. to eye ball pulled to the right AW; (A) clockwise (R) up
 (A) outwards/towards muscle C

[1]

- (iii) ref. to contraction AW of muscle D + relaxation of muscle C;
 D pulls on eyeball AW;
 C is antagonistic to D;

[max. 2]

- (c) 2 MARKS FOR CORRECT ORDER
 1 MARK FOR TWO INCORRECT

cornea aqueous humour pupil lens vitreous humour; ;

[2]

- (d)

	type of light detected	distribution in the retina
rods	ref. to shades of grey/ dim light/black and white/low light intensity; (A) night/dark/white	ref. to spread over (retina); (A) more concentrated on margins (R) on sides unequal.
cones	ref. to colour/bright light/ high light intensity/day(light); (A) single named colour	ref. to in fovea/yellow spot;

[4]

- 2 (a) (i) pupil drawn in both diagrams + smaller in first diagram ;
iris in both diagrams the same diameter ; [2]
- (ii) labels correct for:
iris ;
pupil ;
sclera ; [3]
- (b) (pupils gets bigger)
ref. to contraction + of radial muscles ;
ref. to relaxation of circular muscles ; [2]
- (c) ref. to role of rods in detecting black and white images AW ;
ref. to sensitivity even in low light intensities AW ;
ref. to role of cones in detecting colour AW ;
ref. to cones needing high light intensity to trigger them AW ; [max. 3]
- [max. 10]

CHEMISTRY ONLINE
— TUITION —

Question	Answer			Mark	Additional Guidance																			
3 (a) (i)	G oesophagus/esophagus/gullet ; H diaphragm ; M large intestine /large bowel/ colon ;			[3]	R intestine unqualified / rectum																			
(ii)	<table><tr><td>function</td><td>name</td><td>letter from Fig. 3.1</td></tr><tr><td>conversion of glucose to glycogen</td><td>liver</td><td>P ;</td></tr><tr><td>secretion of insulin and glucagon</td><td>pancreas</td><td>K</td></tr><tr><td>absorption of products of digestion</td><td>ileum /small intestine</td><td>L ;</td></tr><tr><td>storage of bile</td><td>gall bladder</td><td>O ;</td></tr><tr><td>chemical digestion of protein in an acidic pH</td><td>stomach</td><td>J ;</td></tr></table>			function	name	letter from Fig. 3.1	conversion of glucose to glycogen	liver	P ;	secretion of insulin and glucagon	pancreas	K	absorption of products of digestion	ileum /small intestine	L ;	storage of bile	gall bladder	O ;	chemical digestion of protein in an acidic pH	stomach	J ;			ignore bile duct
function	name	letter from Fig. 3.1																						
conversion of glucose to glycogen	liver	P ;																						
secretion of insulin and glucagon	pancreas	K																						
absorption of products of digestion	ileum /small intestine	L ;																						
storage of bile	gall bladder	O ;																						
chemical digestion of protein in an acidic pH	stomach	J ;																						
				[4]																				

Question		Mark	Additional Guidance									
3 (b) (i)	emulsification / emulsifying (fat) / producing an emulsion ;	[1]	R 'emulsion' unqualified									
(ii)	increases surface area ; for action of, lipase / enzyme(s) ;	[2]	A speeds up, enzyme reaction / breakdown of fat / absorption of fat A makes it easier to absorb									
(c) (i)	<table><tr><td>hormone</td><td>uptake by liver cells</td><td>concentration of glucose in the blood</td></tr><tr><td>insulin</td><td>inc</td><td>decreases ;</td></tr><tr><td>glucagon</td><td>de</td><td>increases / stays the same ;</td></tr></table>	hormone	uptake by liver cells	concentration of glucose in the blood	insulin	inc	decreases ;	glucagon	de	increases / stays the same ;	[2]	one mark per correct row
hormone	uptake by liver cells	concentration of glucose in the blood										
insulin	inc	decreases ;										
glucagon	de	increases / stays the same ;										
(ii)	adrenaline ;	[1]	A epinephrine, cortisol, ACTH, growth hormone, somatostatin, thyroxine, GLP-1, GIP									
(d)	glucose concentration is kept, (near) constant / within narrow limits / AW ; any change (in concentration), is detected / acts as a stimulus ; correct ref to, glucose → glycogen / glycogen → glucose / increasing glucose concentration / decreasing glucose concentration ; <i>idea that it returns concentration to normal ;</i> <i>idea that release of correctly named hormone, stops / switches off ;</i> ref to <u>homeostasis</u> ;	max [3]	R hormones carrying out conversions directly									
		[Total: 16]										

Question	Answers	Marks	Additional Guidance
4 (a)	$C_6H_{12}O_6$; $2C_3H_6O_3$;	[2]	I word equation I energy / ATP R if 2 is not included for $C_3H_6O_3$ R glucose if oxygen included on left of arrow R if water given on either side
(b)	2.0 / 2 ; 18 ; 36 ;	[3]	A <i>ecf</i> for volume of air per minute = multiple of first two figures in answer
(c)	<p>1 descriptive comment on difference between Fig. 3.1 and 3.2 ; A data quote for any one of the results shown in Table 3.1</p> <p>2 <u>muscle</u> ;</p> <p>3 respire faster ; R breathes faster (as this is for MP1)</p> <p>4 <i>idea that</i> more, energy / ATP, released / needed ;</p> <p>5 <u>aerobic</u> respiration ;</p> <p>6 <i>idea that</i> requires more oxygen ; A ref to more <u>oxygenated</u> blood</p> <p>7 <i>idea that</i> remove more carbon dioxide ;</p> <p><i>change to breathing maintains</i></p> <p>8 pH of blood ;</p> <p>9 oxygen concentration ;</p> <p>10 carbon dioxide concentration ;</p> <p>11 prevents (much) <u>anaerobic</u> respiration occurring ;</p> <p>12 prevents build up of, lactic acid / lactate ; R removes</p> <p>13 prevents oxygen debt ; R repays</p> <p>14 AVP ; e.g. ref. to homeostasis, contraction of muscle</p>	[max 5]	<p>breathing rate, volume of air, ventilation rate e.g. breathe, fast / faster, deeper R heavier</p> <p>A more respiration NOT more glucose R 'energy produced'</p> <p>MP8 – MP10 must have idea of maintaining near constant</p> <p>MP11–13 R refs. to there being an oxygen debt and paying off oxygen debt as question is about <i>during exercise</i> not afterwards, other points especially MP1 to 7 can still be awarded if answer contains refs to oxygen debt unless answer says 'after exercise'</p>

Question	Answers		Marks	Additional Guidance
4 (d)		<i>mark both parts together to max 5 – some points may be awarded in either section</i>		
	1	<u>more</u> / <u>faster</u> , respiration in muscles ; <i>pulse rate</i>		
	2	pulse rate increases ;		A heart pumps faster R 'to body'
	3	<i>idea that</i> more / faster, blood transport to, muscles / lungs ;		
	4	<i>idea that</i> muscle requires more oxygen ;		
	5	remove, carbon dioxide from muscles ;		
	6	remove, lactic acid / lactate, from muscles ;		
	7	remove heat from muscles ; <i>concentration of glucose</i>		
	8	concentration of blood glucose, increases / stays the same ;		
	9	glucose required for, energy / respiration ;		
	10	for muscle, activity / contraction / to work ;	[max 5]	I – (strenuous) exercise
			[Total: 15]	

CHEMISTRY ONLINE
— TUITION —