

Level IGCSE

Subject Biology

Exam Board CIE

Topic Reproduction

Paper Type (Extended) Theory Paper

Booklet Mark Scheme 3

Time Allowed: 60 minutes

Score: /50

Percentage: /100

1 (a (i)	hair/fur/whiskers; external ears/pinna(e); nose/snout;			ma [1]	
(ii)	go to 2				5 or 6 correct = 3 3 or 4 correct = 2
	go to 3				1 or 2 correct = 1
	go to 4				
	go to 5				
	Phascolarctos cinereus	С			
	Vombatus ursinus	В			
	Sminthopsis Iongicaudata	Α			
	Macropus rufus	D			-
	Paljara tirarense	F			
	go to 6				
	Sarcophilus harrisii	E			
	Dasyurus maculatus	G	MISTRYO	[3]	NE

1 (b) (i)	meiosis ;	[1]	
(ii)	maintains/increases, population; allows variation; ora adaptation to, new/changed, environment(s); natural selection/evolution/formation of new species; AVP; e.g. two parents contribute to survival of offspring e.g. allows expression of recessive, alleles/traits/genes	[3]	ignore survival unqualified
(c)	gas exchange/named example with direction; transfer of (dissolved) nutrients, from maternal (circulation) / to fetal; transfer of excretory products, from fetal/to maternal; by diffusion; produces/secretes, (named) hormone; passive immunity/antibodies, from maternal/to fetal; prevents/limits, mixing of blood; ref to regulating blood pressure; AVP; e.g. maternal/fetal attachment point e.g. ref to counter current flow/maintains concentration gradient e.g. hormone function describ	max [4]	ignore food/nutrition for nutrients A glucose/amino acids/ions/water A urea/(nitrogenous) waste A progesterone/oestrogen/HCG/HPL/HCS
(ii)	protection from (mechanical) shock (of fetus); maintains (constant) temperature (of fetus); allows movement (of fetus); prevents dehydration; AVP;	max [2]	NE
	— TIITTIO	[Total: 14]	

2 (a (i)	A – oviduct; B – ovulation; C – zygote;	[3]	
(ii)	follicle stimulating hormone/FSH; luteinising hormone/LH;	[2]	
(iii)	 flagellum/'tail', for swimming/movement; small/streamlined shape, for (efficient) swimming; mitochondria, for providing energy; acrosome/(packet of) enzymes, for digestion of (follicle) cells/to reach ovum; haploid nucleus to fuse with egg (nucleus); nucleus, to transfer genetic information to zygote; 	max [3]	R produce/create/forms energy AW ,
(b)	 maintain/increase, population; allows variation; (variation) caused by meiosis; for example through crossing over/independent assortment; random fusion of gametes; ability to express recessive traits/AW; adaptation to new/changed environments; (allows) natural selection/evolution/formation of new species; 	max [5]	
		[Total:13]	
	CHEMISTRY OF	NLI	1E

		Answer		Guidance for Examiners
3	(a)	DNA / genome is the same / similar; genes are same; AVP; e.g. ref to DNA bases / sequence, same / similar		
	(b) (i)	<pre>mitosis; no fertilisation; budding off (of spores) / fragmentation; vertical hyphae; production of spores; sporangium bursts / opens / releases; ref to number of nuclei per spore; method of spore dispersal i.e. air / water / wind; AVP; e.g. DNA replication</pre>	[max 3]	
	(ii)	(named) favourable characteristics of parent passed on; dense colonies outcompete other species; rapid; less, energy / resources used; no gametes; idea of only one parent required;		
			[Total: 8]	

4 (a	cell wall, peptidoglycan/murein; no nucleus/no nuclear membrane/have nucleoid; loop of DNA; no mitochondria; no chloroplasts; no vacuoles; smaller ribosomes; have pili; have capsule; small/1–2 µm; A correct reference to size	max 2	A plasmids;
(b) (i)	lag (phase); log/exponential (phase); stationary/plateau (phase); death (phase);	4	
(ii)	no longer reproducing/death rate greater than or equal to 'birth' rate; ref to limiting factor(s); no/less, (named) nutrients; no/less, space; no/less, oxygen; build-up of (named) waste; waste is toxic; idea that pH could change to be unsuitable;	max 2	A reached carrying capacity A lactose/sugar/glucose/salts/minerals e.g. carbon dioxide/lactic acid
(c)	increase in, size/length/mass/volume/AW; increase in dry mass; increase in cell number; ref to permanent;	max 2	note: increase in dry mass = 2 marks A ref to cell division/mitosis/ reproduction of cells/tissues R reproduction unqualified I development

4 (d)	asexual (reproduction) / binary fission;	max 1	R mitosis
(e)	advantages: longer shelf-life/stop foods going off; stop/reduce, growth of (unwanted) bacteria/fungi/microbes;		advantages to max 3
	prevent food poisoning; improve/give, taste/flavor; give colour/improve appearance; give texture;		A reproduction/multiplication/AW
	emulsify/stabilise, food components; disadvantages: hyperactivity (in children); allergies; vomiting/nausea/headache; asthma; possible link with cancer;		disadvantages to max 3
	AVP;	max 4	
		[Total: 15]	