Uniform Electric Fields Question paper 1

Level	International A Level
Subject	Physics
Exam Board	CIE
Торіс	Electric Fields
Sub Topic	Uniform Electric Fields
Paper Type	Theory
Booklet	Question paper 1

Time Allowed:	58 minutes		
Score:	/48		
Percentage:	/100		

A*	Α	В	С	D	E	U
>85%	'77.5%	70%	62.5%	57.5%	45%	<45%

1 (a) Explain what is meant by an *electric field*.

.....[1]

(b) A uniform electric field is produced between two vertical metal plates AB and CD, as shown in Fig. 7.1.



Fig. 7.1

The potential difference between the plates is 450V and the separation of the plates is 16 mm.

An α -particle is accelerated from plate AB to plate CD.

- (i) On Fig. 7.1, draw lines to represent the electric field between the plates. [2]
- (ii) Calculate the electric field strength between the plates.

electric field strength = Vm⁻¹ [2]

(iii) Calculate the work done by the electric field on the α -particle as it moves from AB to CD.

work done = J [3]

(iv) A β -particle moves from AB to CD. Calculate the ratio

work done by the electric field on the α -particle work done by the electric field on the β -particle.

Show your working.



2 (a) Define *electric field strength*.

.....

.....[1]

(b) A sphere S has radius 1.2×10^{-6} m and density 930 kg m^{-3} .

Show that the weight of S is 6.6×10^{-14} N.

[2]

(c) Two horizontal metal plates are 14mm apart in a vacuum. A potential difference (p.d.) of 1.9kV is applied across the plates, as shown in Fig. 3.1.





A uniform electric field is produced between the plates. The sphere S in **(b)** is charged and is held stationary between the plates by the electric field.

(i) Calculate the electric field strength between the plates.

electric field strength =Vm⁻¹ [2]

(ii) Calculate the magnitude of the charge on S.



3 (a) An electric field is set up between two parallel metal plates in a vacuum. The deflection of α -particles as they pass between the plates is shown in Fig. 7.1.



Fig. 7.1

The electric field strength between the plates is reduced. The α -particles are replaced by β -particles. The deflection of β -particles is shown in Fig. 7.2.



(iii) By reference to the properties of α -particles and β -particles, suggest three reasons for the differences in the deflections shown in Fig. 7.1 and Fig. 7.2.

(b) A source of α -particles is uranium-238. The nuclear reaction for the emission of α -particles is represented by

State the values of
$$W$$
......
 X Y Z Z Z Z Z Z ... Z ...

(c) A source of β -particles is phosphorus-32. The nuclear reaction for the emission of β -particles is represented by

$^{32}_{15}P \longrightarrow ^{A}_{B}R + ^{C}_{D}\beta.$				
A				
<i>C</i>				
D				

[1]

4 (a) Two horizontal metal plates are connected to a power supply, as shown in Fig. 7.1.



The separation of the plates is 40 mm.

The switch S is then closed so that a potential difference of 1.2 kV is applied across the plates.

- (i) On Fig. 7.1, draw six field lines to represent the electric field between the metal plates. [2]
- (ii) Calculate the electric field strength *E* between the plates.

V m⁻¹ [2] E =

(b) The switch S is opened and the plates lose their charge. Two very small metal spheres A and B joined by an insulating rod are placed between the metal plates as shown in Fig. 7.2.



Sphere A has charge -e and sphere B has charge +e, where e is the charge of a proton. The length AB is 15 mm. The rod is supported at its centre C so that the rod is horizontal and in equilibrium.

The switch S is then closed so that the potential difference of 1.2kV is applied across the plates.

(i) There is a force acting on A due to the electric field between the plates. Show that this force is 4.8×10^{-15} N.

(ii) The insulating rod joining A and B is fixed in the position shown in Fig. 7.2. Calculate the torque of the couple acting on the rod.

	torque = unit [3]
(iii)	The insulating rod is now released so that it is free to rotate about C. State and explain the position of the rod when it comes to rest.
	10111013
	[2]

[2]

5 (a) Define *electric field strength*.

.....

-[1]
- (b) A uniform electric field is produced by applying a potential difference of 1200V across two parallel metal plates in a vacuum, as shown in Fig. 4.1.



Fig. 4.1

The separation of the plates is 14 mm. A particle P with charge 3.2×10^{-19} C and mass 6.6×10^{-27} kg starts from rest at the lower plate and is moved vertically to the top plate by the electric field.

Calculate

(i) the electric field strength between the plates,

electric field strength = $V m^{-1}$ [2]

(ii) the work done on P by the electric field,

work done = J [2]

(iii) the gain in gravitational potential energy of P,

(iv) the gain in kinetic energy of P,

